

	Application No.	Applicant(s)
Notice of Allowability	09/363,728	KRISHNASWAMY ET AL.
	Examiner	Art Unit
	There Ohne Alda	0070
	Uyen-Chau N. Le	2876
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>20 October 2005</u> .		
2. The allowed claim(s) is/are <u>1-3 and 5-6</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawne header according to 37 CFR 1.12	vings in the front (not the back) of 1(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		Patent Application (PTO-152)
	6. ⊠ Interview Summa Paper No./Mail D	
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date</li> </ol>	8), 7. 🛛 Examiner's Amen	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stater	nent of Reasons for Allowance
	9.  Other	

Art Unit: 2876

## EXAMINER'S AMENDMENT

## Prelim. Amdt/Amendment

- 1. Receipt is acknowledged of the Amendment filed 20 October 2005.
- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. David L. Weinstein on 18 November 2005 in order to place the instant application in the proper form for an allowance (i.e., to have proper support) by substituting "capable of" with -- for -- in claims 1 and 2; deleting "capable of" in claim 5 and deleting "capable of being" in claim 6.

The application has been amended as follows:

## IN THE CLAIMS:

Art Unit: 2876

Re claim 1, lines 6 and 9: Substitute "capable of" with -- for --.

Re claim 1, line 11: Substitute "a barcode reader" with -- said barcode reader --.

Re claim 2, lines 8 and 11: Substitute "capable of" with -- for --.

Re claim 5, line 2: Delete "capable of."

Re claim 6, line 2: Delete "capable of being."

3. The following is an examiner's statement of reasons for allowance:

Applicant's arguments, see pages 6-9, filed 20 October 2005, with respect to claims 1 and 2 have been fully considered and are persuasive.

The prior art of records to and all other cited references, taken alone or in combination, fails to teach or fairly suggest the specific structure or the method of a handheld analyte test instrument comprising, among other things, a numeric keypad and function buttons for carrying out the functions of selecting test or menu modes, editing entries, terminating entries, and activating a barcode reader as a substitute for manual numeric entry, or a docking station comprises a switch in electrical communication with the connector, a first data port in

Application/Control Number: 09/363,728

Art Unit: 2876

electrical communication with the switch and being electrically connectable to a computer, a second data port in electrical communication with the switch and being electrically connectable to a peripheral device, and a control mechanism for controlling the switch to selectively pass the analyte data to the computer via the first data port or to the peripheral device via the second data port as set forth respectively in the claimed combinations.

The prior art of records to Böcker et al discloses an analyte test instrument 3 having a barcode reader for reading a barcode affixed to a test strip 13 and on/off buttons 20, but is silent with respect to a numeric keypad for entering numeric entries and function buttons for selecting test or menu modes, editing entries, terminating entries, and activating the barcode reader. Karkar et al discloses a blood analyzing device 10 comprising a numeric keypad 18 for entering the pH temperature values, and switching buttons [100, 102, 104] for Karkar et al is silent with operating the analyzing process. respect to a barcode reader and function buttons for selecting test or menu modes, editing entries, terminating entries, and activating the barcode reader. Thus, with no teaching from the prior art, and without the benefit of applicant's teachings, there is no motivation for one of ordinary skill in the art to Art Unit: 2876

combine/modify the prior art of records in a manner so as to create the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Uyen-Chau N. Le whose telephone number is 571-272-2397. The examiner can normally be reached on First Monday 5:30AM-1:30PM and Tues-Fri 5:30AM-3PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee can be reached on 571-272-2398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Uyen-Chau N. Le

Ulehaule

Examiner

Art Unit 2876

November 18, 2005